



## AE84 - RCL

84 mm Recoilless Rifle







- Reloadable
- Multi-role tactical applications
- Single or dual operator use
- Rapidly deployable/fast response time
- Improved suvivability
- Long life cycle
- Multi target effectivness, Vehicle,
  Personnel, Bunker busting & Anti ship

#### DEPLOYMENT

The AE84-RCL can be fired from any position. Bipod legs attach to the forward hand grip for added stability. Ammunition is loaded from the rear by opening/closing the hinged breech locking Venturi.

The weapon is normally operated by a 2-man crew but is not essential.

There must be sufficient space behind the weapon so that recoil blast is not obstructed.

### AMMUNITION

- HE M540 High explosive
- ILL M542 illuminating
- HEAT M543 High explosive

Anti Tank (rocket assisted)

HEAT-TP M552 Training practice – HEAT ballistically matched



84 mm Recoilless Rifle



#### **SPECIFICATIONS**

Calibre 84 mm

Crew
 2 (optimal) or single operator

Weight 14 kg

• Length 1,065 mm

Breech Hinge locking Venturi

Rate of fire
 6 rounds per minute (typical)

• Sights Optical & Iron

Laser range finder & Image intensification (optional)

The AE84-RCL is a man-portable, reloadable multi-role Recoilless Rifle designed to fire Mecar's M540/M550 series range of 84 mm ammunition. Other 84 mm ammunition types are compatible with the AF84-RCL.

The rifle consists of a thin walled rifle barrel with a hinged breech locking Venturi recoil damper to the rear. Forward hand and trigger grips provide firing position comfort and a rear stock supports the weapon to the operators shoulder.

The AE84-RCL is fitted with optical and reversionary sights as standard. Optional laser ranger finder and image intensification/night vision equipment can be readily fitted.

Mecar's rocket-assisted HEAT round is able to penetrate more than 300 mm of armour steel, and has an effective range of more than 700 metres. A ballistically matched training round is also available.





# AEI Systems Ltd

1 Kings Ride Park, Ascot, Berkshire. SL5 8AP United Kingdom

